



amfori BSCI
Trade with purpose
Approved



IATF 16949:2016



LED WORK LAMP
WITH AMBER STROBE FUNCTION



LED BAR LIGHT
WITH AMBER STROBE FUNCTION




Foshan Xingyuan Auto Accessories Co.,Ltd

LED Work Lights

Item NO: 210718



NEW LENS DT plug is available



Specifications



Voltage	12-40V
Power	24W
Light Source	24*1W
Effective Lumen	1500LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

APPLICATION




LED Work Lights

Item NO: 210719



NEW LENS DT plug is available



Specifications



Voltage	12-40V
Power	24W
Light Source	24*1W
Effective Lumen	1500LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

APPLICATION




LED Work Lights

Item NO: 210720



NEW LENS DT plug is available



Specifications


Voltage	12-40V
Power	24W
Light Source	24*1W
Effective Lumen	1200LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

APPLICATION




LED Work Lights

Item NO: 210721



NEW LENS

DT plug is available



Specifications


Voltage	12-40V
Power	24W
Light Source	24*1W
Effective Lumen	1200LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

APPLICATION




LED Work Lights

Item NO: 210722



NEW LENS

DT plug is available



Specifications


Voltage	12-40V
Power	32W
Light Source	32*1W
Effective Lumen	1800LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	304 Stainless steel

APPLICATION




LED Work Lights

Item NO: 210723



NEW LENS

DT plug is available



Specifications


Voltage	12-40V
Power	32W
Light Source	32*1W
Effective Lumen	1800LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

APPLICATION



LED Work Lights

Item NO: 210724



Specifications

Voltage	12-40V
Power	20W
Light Source	20*1W
Effective Lumen	1300LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION





LED Work Lights



FLOODLIGHT



20W



Back cover





APPLICATION




LED Work Lights

Item NO: 210726



NEW LENS DT plug is available



Specifications

Voltage	12-40V
Power	24W
Light Source	24*1W
Effective Lumen	1500LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover





APPLICATION




LED Work Lights

Item NO: 210727



NEW LENS DT plug is available



Specifications

Voltage	12-40V
Power	24W
Light Source	24*1W
Effective Lumen	1500LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover




APPLICATION



3" LED Work Lights


Item NO **210753**



Specifications

Voltage	12-40V
Power	18W
Light Source	24*1W
Effective Lumen	1400LM
Current	12V@0.7A, 24V@0.35A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights


Item NO.: **210107**




FUNCTIONS




FUNCTION 1
White Spot



FUNCTION 2
Amber Strobe






FUNCTION 3
White Spot & Amber Strobe



DESCRIPTION

Operating Voltage	12-24V
Power	18W
Diodes	20LED
Current Draw	1.05Amps@12Volts
Beam Pattern	White- Fixed / Amber or Red Strobe
Raw Lumen	1400LM
Effective Lumen	900LM
Color Temperature	6000K
Housing Material	Aluminium Die Cast
Lens Material	PC
Bracket Material	Stainless steel
Waterproof Rating	IP67
Wire length	40CM



APPLICATION





LED Work Lights

Item NO: 210718D




**2
LIGHT
IN ONE!**



NEW LENS

DT plug is available



Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel



APPLICATION




LED Work Lights

Item NO: 210719D




**2
LIGHT
IN ONE!**



NEW LENS

DT plug is available



Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel



APPLICATION





LED Work Lights

Item NO: 210720D




2
LIGHT
IN ONE!



NEW LENS

DT plug is available



Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel



APPLICATION




LED Work Lights

Item NO: 210721D



**2
LIGHT
IN ONE!**



Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel



APPLICATION





LED Work Lights

Item NO: 210722D




2
LIGHT
IN ONE!



NEW LENS

DT plug is available



Specifications

Voltage	12-40V
Power	24W
Light Source	8*3W
Effective Lumen	1600LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel



APPLICATION




LED Work Lights

Item NO: 210723D




2
LIGHT
IN ONE!



NEW LENS



DT plug is available



Specifications

Voltage	12-40V
Power	24W
Light Source	8*3W
Effective Lumen	1600LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel



APPLICATION



LED Work Lights

Item NO: 210724D

**2
LIGHT
IN ONE!**



NEW LENS



DT plug is available

FLOODLIGHT

CE

IP68

1200
LUMEN


20W



**Strobe
Light**

EMC
Class 3

ECE
Reg 65



Amber flashing Satisfy ECE R65



AL
A380
DIE-CAST
HOUSING

EMC
CISPR 25
RATED

RoHS
Certificate
AVAILABLE

E-MARK
AVAILABLE


12-40V
DC INPUT

IP68
WATERPROOF

Specifications

Voltage	12-40V
Power	20W
Light Source	5*3W
Effective Lumen	1200LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover




APPLICATION




LED Work Lights

Item NO: 210725D

2
LIGHT
IN ONE!



NEW LENS DT plug is available



Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	20W
Light Source	5*3W
Effective Lumen	1200LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30℃~70℃
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: 210726D

2
LIGHT
IN ONE!



NEW LENS



DT plug is available



FLOODLIGHT

CE

IP68

1400
LUMEN

18W



Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover




APPLICATION





LED Work Lights

Item NO: 210727D

2
LIGHT
IN ONE!



NEW LENS DT plug is available



Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



3" LED Work Lights

Item NO **210753D**

**2
LIGHT
IN ONE!**



NEW LENS




DT plug is available

Amber flashing Satisfy ECE R65



FLOODLIGHT CE IP68 1400 LUMEN 18W




AL A360 DIE-CAST HOUSING EMVCE C18PR 25 RATED RoHS Certification AVAILABLE E-MARK AVAILABLE 12-40V DC INPUT IP68 WATERPROOF

Specifications

Voltage	12-40V
Power	18W
Light Source	6*3W
Effective Lumen	1400LM
Current	12V@0.7A, 24V@0.35A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights



Item NO

XYAL-2643-18W

**2
LIGHT
IN ONE!**



NEW LENS DT plug is available




Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	27W
Light Source	9*3W
Effective Lumen	2100LM
Current	12V @1.75A, 24V@0.87A
Temperature	-40°C ~ 80°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: 210729D



2
LIGHT
IN ONE!



NEW LENS



DT plug is available



Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	27W
Light Source	9*3W
Effective Lumen	2100LM
Current	12V @1.75A, 24V@0.87A
Temperature	-40°C ~ 80°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights


Item NO

XYAL-2642-22W

**2
LIGHT
IN ONE!**



NEW LENS **DT plug is available**




Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	36W
Light Source	36*1W
Effective Lumen	2200LM
Current	12V @1.75A, 24V@0.87A
Temperature	-40°C ~ 80°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO: 210731D

2
LIGHT
IN ONE!



NEW LENS



DT plug is available

FLOODLIGHT

CE

IP68

2200
LUMEN


36W



Strobe
Light

EMC
Class 3

ECE
Reg 65



Amber flashing Satisfy ECE R65



AL
A380
DIE-CAST
HOUSING

EMC
CISPR 25
RATED

RoHS
Certificate
AVAILABLE

E-MARK
AVAILABLE


12-40V
DC INPUT

IP68
WATERPROOF

Specifications

Voltage	12-40V
Power	36W
Light Source	36*1W
Effective Lumen	2200LM
Current	12V @1.75A, 24V@0.87A
Temperature	-40°C ~ 80°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION




LED Work Lights


Item NO

XYAL-2644-35W

**2
LIGHT
IN ONE!**



NEW LENS **DT plug is available**





Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	48W
Light Source	16*3W
Effective Lumen	3200LM
Current	12V @2.9A, 24V@1.45A
Temperature	-40°C ~ 80°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover




APPLICATION




LED Work Lights

Item NO: 210733D

2
LIGHT
IN ONE!



NEW LENS DT plug is available





Amber flashing Satisfy ECE R65



Specifications

Voltage	12-40V
Power	48W
Light Source	16*3W
Effective Lumen	3200LM
Current	12V @2.9A, 24V@1.45A
Temperature	-40°C ~ 80°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED WORK LIGHT



LED WORK LIGHT/ REVERSING LIGHT WITH WARNING LIGHT



Item NO.
211240

LENGTH:
74x91x32mm

VOLTAGE:
10-30VDC

MAX POWER:
24W+12W

FLASH PATTERN:
19

LED QTY:
24PCS 1W/12PCS 1W

TEMPERATURE:
-45°C~+60°C

IP RATING:
IP67


APPROVAL:
SAE / ECE R65 R10 R148

► Features

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► DIMENSIONS



AMBER Warning light
211240AJ



BLUE Warning light
211240B



AMBER side light
211240AB



WHITE side light
210240W

► APPLICATION



LED WORK LIGHT/ REVERSING LIGHT WITH WARNING LIGHT

LED WORK LIGHT



Item NO.
211241

LENGTH:
75x76x75mm

VOLTAGE:
10-30VDC

MAX POWER:
20W

BEAM PATTERN:
SPOT/FLOOD

LED QTY:
4pcs 5W OSRAM Led

TEMPERATURE:
-45°C~+60°C


IP RATING:
IP67

APPROVAL:
ECE R10

► Features

ECE R10 CISPR25 Class3 certified
Water proof Ip67

OSRAM CHIPS high power output
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover



LED WORK LIGHT

► APPLICATION



LED WORK LIGHT



Item NO.
211242

LENGTH:
75x76x75mm

VOLTAGE:
10-30VDC

MAX POWER:
40W

BEAM PATTERN:
SPOT/FLOOD

LED QTY:
4pcs 10W OSRAM Leds

TEMPERATURE:
-45°C~+60°C


IP RATING:
IP67

APPROVAL:
ECE R10

► Features

ECE R10 CISPR25 Class3 certified
Water proof Ip67

OSRAM CHIPS high power output
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover



LED WORK LIGHT

► APPLICATION



LED WORK LIGHT



LED WORK LIGHT

Item NO.

211243

LENGTH:

75x75x43mm

VOLTAGE:

10-30VDC

MAX POWER:

16W

BEAM PATTERN:

Flood

LED QTY:

16PCS 1W OSRAM leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:


SAE / ECE R65 R10 R148

► Features

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► DIMENSIONS



► APPLICATION



LED WORK LIGHT



Item NO.
211244

LENGTH:

74.8x74.8x44mm

VOLTAGE:

10-30VDC

MAX POWER:

16W

BEAM PATTERN:

Flood

LED QTY:

16PCS 1W OSRAM leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:


SAE / ECE R65 R10 R148

► **Features**

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► **DIMENSIONS**



► **APPLICATION**



LED WORK LIGHT

LED WORK LIGHT



LED WORK LIGHT



Item NO.
211245

LENGTH:
160x46x52.5mm

VOLTAGE:
10-30VDC

MAX POWER:
24W

BEAM PATTERN:
Flood

LED QTY:
24PCS 1W OSRAM leds

TEMPERATURE:
-45°C~+60°C

IP RATING:
IP67


APPROVAL:
SAE / ECE R65 R10 R148

► Features

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► DIMENSIONS



► APPLICATION



LED WORK LIGHT



Item NO.
211246

LENGTH:

110x110x49mm

VOLTAGE:

10-30VDC

MAX POWER:

36W

BEAM PATTERN:

Flood

LED QTY:

36PCS 1W OSRAM leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:



SAE / ECE R65 R10 R148

► **Features**

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► **DIMENSIONS**



► **APPLICATION**



LED WORK LIGHT

LED WORK LIGHT



Item NO.
211247

LENGTH:
110x110x49mm

VOLTAGE:
10-30VDC

MAX POWER:
36W

BEAM PATTERN:
Flood

LED QTY:
36PCS 1W OSRAM leds

TEMPERATURE:
-45°C~+60°C

IP RATING:
IP67

APPROVAL:
SAE / ECE R65 R10 R148



LED WORK LIGHT

► Features

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► DIMENSIONS



► APPLICATION



LED WORK LIGHT



LED WORK LIGHT

Item NO.

211248

LENGTH:

110x110x61mm

VOLTAGE:

10-30VDC

MAX POWER:

64W

BEAM PATTERN:

Flood

LED QTY:

64PCS 1W OSRAM leds

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:



SAE / ECE R65 R10 R148

► Features

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► DIMENSIONS



► APPLICATION



LED WORK LIGHT



► Features

ECE R10 R65 R148 / SAE CERTIFIED
Water proof Ip67

OSRAM CHIPS high Lumen
Water proof, dust proof,
vibration resistant and corrosion resistant
Aluminium house plus pc cover

► DIMENSIONS

Item NO.

LENGTH:

VOLTAGE:

10-30VDC

MAX POWER:

CURRENT DRAW:

LED QTY:

TEMPERATURE:

-45°C~+60°C

IP RATING:

IP67

APPROVAL:

ECE R65 Class2 R10 R148 SAE




► APPLICATION




LED WORK LIGHT

LED Work Lights

Item NO: **210728-WH**




NEW LENS **DT plug is available**



Specifications

Voltage	10-40V
Power	22W
Light Source	36*1W
Effective Lumen	2000LM
Current	12V @1.5A, 24V@1.33A
Temperature	-30°C~70°C
Lens Material	pc
Bracket Material	Stainless steel

Back cover



APPLICATION



LED Work Lights

Item NO.: **210665-WH-4.3"**



CLASS 5


IEC CISPR25-2016



**International
Brand LED**




**DT plug is
available**



DESCRIPTION

Operating Voltage	12-30V
Power	120W
Diodes	36*5W High Power LED
Current Draw	10A@12V/5A@24V
Beam Pattern	Full Bright
Effective Lumen	2900-9800LM
Color Temperature	6000K
Housing Material	Aluminium
Lens Material	PC
Bracket Material	Stainless steel
Waterproof Rating	Ip67
Wire length	40CM



APPLICATION



LED Work Lights

Item NO.: 210666-WH-7"

SPOTLIGHT

CE

IP67

3500
LUMEN

42W

CLASS 5




IEC CISPR25-2016



International
Brand LED




DT plug is
available



DESCRIPTION

Operating Voltage	12-30V
Power	42W
Diodes	16*3W High Power LED
Current Draw	3.5A@12V/1.75A@24V
Beam Pattern	Full Bright
Effective Lumen	3500LM
Color Temperature	6000K
Housing Material	Aluminium
Lens Material	PC
Bracket Material	Stainless steel
Waterproof Rating	Ip67
Wire length	40CM



APPLICATION



LED Work Lights

Item NO.: **210239-WH-5.0"**



CLASS 5




IEC CISPR25-2016



DT plug is available




International Brand LED



DESCRIPTION


Operating Voltage	12-30V
Power	60W
Lumen	5000LM
Beam Pattern	SpotLight(30°) or Floodlight (60°)
Color Temperature	6000-6500K
Housing Material	Aluminium
Lens Mateial	PMMA
Bracket Material	304# Stainless Steel
Waterproof	IP67



APPLICATION



LED Work Lights



NEW LENS

210728D-RG






9 LED

210730D-RG

9 LED

210732D-RG

16 LED



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210728D-RG	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210730D-RG	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210732D-RG	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION



LED Work Lights



NEW LENS

210728D-RGSW

9 LED

210730D-RGSW

9 LED


210732D-RGSW

16 LED



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210728D-RGSW	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210730D-RGSW	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210732D-RGSW	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

Back cover



APPLICATION



LED Work Lights



210729D-RG

9 LED

210731D-RG

9 LED

210733D-RG






16 LED



**2
LIGHT
IN ONE!**



NEW LENS



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210729D-RG	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210731D-RG	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210733D-RG	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION



LED Work Lights



210729D-RGSW

9 LED

210731D-RGSW

9 LED

210733D-RGSW

16 LED




NEW LENS



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210729D-RGSW	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210731D-RGSW	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210733D-RGSW	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED


Back cover



APPLICATION



LED Work Lights



NEW LENS






2
LIGHT
IN ONE!

210730D-MG
9 LED

210728D-MG
9 LED

210732D-MG
16 LED



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210728D-MG	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210730D-MG	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210732D-MG	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION




LED Work Lights



NEW LENS



2
LIGHT
IN ONE!




MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210728D-MGSW	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210730D-MGSW	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210732D-MGSW	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

Back cover



ON/OFF



APPLICATION



LED Work Lights



NEW LENS



2
LIGHT
IN ONE!

210731D-MG

9 LED

210729D-MG

9 LED

210733D-MG

16 LED




Amber flashing Satisfy ECE R65



Amber flashing Satisfy ECE R65



Amber flashing Satisfy ECE R65



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210729D-MG	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210731D-MG	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210733D-MG	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION



LED Work Lights



NEW LENS




2
LIGHT
IN ONE!

210731D-MGSW
9 LED


210729D-MGSW
9 LED

210733D-MGSW
16 LED



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210729D-MGSW	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210731D-MGSW	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210733D-MGSW	3200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

Back cover



APPLICATION



LED Work Lights



210728D-WB

9 LED

210730D-WB




9 LED

210724D-WB

16 LED



NEW LENS



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210728D-WB	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210730D-WB	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210724D-WB	1200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION



LED Work Lights



210729D-WB

9 LED

210731D-WB




9 LED

210725D-WB

16 LED



NEW LENS



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210729D-WB	2100LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210731D-WB	2200LM	DC12-40V	SPOT / FLOOD	6500K	9 LED
210725D-WB	1200LM	DC12-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION



LED Work Lights



210728D-WB-Y


9 LED

210730D-WB-Y




9 LED

210732D-WB-Y

16 LED



NEW LENS



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210728D-WB-Y	1800LM	DC10-40V	SPOT / FLOOD	6500K	9 LED
210730D-WB-Y	1800LM	DC10-40V	SPOT / FLOOD	6500K	9 LED
210732D-WB-Y	3000LM	DC10-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION



LED Work Lights



210729D-WB-Y

9 LED

210731D-WB-Y




9 LED

210733D-WB-Y

16 LED



NEW LENS



MODEL	LUMEN	VOLTAGE	BEAM PATTERN	COLOR TEMPERATURE	LED QUANTITY
210729D-WB-Y	1800LM	DC10-40V	SPOT / FLOOD	6500K	9 LED
210731D-WB-Y	1800LM	DC10-40V	SPOT / FLOOD	6500K	9 LED
210733D-WB-Y	3000LM	DC10-40V	SPOT / FLOOD	6500K	16 LED

APPLICATION





NO: **210740**



DESCRIPTION ►

OPERATING VOLTAGE	12-24V
POWER	48W
DIODES	21*5W High Power LED
CURRENT DRAW	4A@12V / 2A@24V
BEAM PATTERN	High Beam
RAW LUMEN	8820LM
EFFECTIVE LUMEN	3908LM
COLOR TEMPERATURE	6000K
HOUSING MATERIAL	Aluminium
LENS MATERIAL	PC
BRACKET MATERIAL	Stainless steel
WATERPROOF RATING	IP68 / IP69K
WIRE LENGTH	60CM



EFFECT DRAWING ►



**LED BAR LIGHT COMBINED R65 APPROVED
WARNING LIGHT FOR HEAVY-DUTY TRUCKS**



XIAL®

2024.07.04